

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: **X899**  
Version: **2.0 en**  
Replaces version of: 2015-05-13  
Version: (1.0)

date of compilation: 2015-05-13  
Revision: 2017-02-08

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Immersion oil</b>
Article number	X899
Registration number (REACH)	not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
4.1A	hazardous to the aquatic environment - acute hazard	(Aquatic Acute 1)	H400
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 2)	H411

#### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

##### Signal word

Warning

##### Pictograms



##### Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

##### Precautionary statements

##### Precautionary statements - prevention

P273 Avoid release to the environment.

##### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description of the mixture

Composition/information on ingredients.

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
Benzoic acid benzyl ester	CAS No 120-51-4  EC No 204-402-9  Index No 607-085-00-9  REACH Reg. No 01-2119976371-33- xxxx	25 - < 50	Acute Tox. 4 / H302 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Agitation, Seizures, Diarrhoea, Nausea, Loss of righting reflex, and ataxia, Irritant effects, Vomiting, Cardiac arrhythmias

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, water mist, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains.

##### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No special measures are necessary.

##### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### Consideration of other advice

###### • Ventilation requirements

Use local and general ventilation.

###### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

#### 7.3 Specific end use(s)

No information available.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

##### Relevant DNELs/DMELs/PNECs and other threshold levels

###### • relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Benzoic acid benzyl ester	120-51-4	DNEL	102 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Benzoic acid benzyl ester	120-51-4	DNEL	2.6 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Benzoic acid benzyl ester	120-51-4	DNEL	5.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

###### • relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Benzoic acid benzyl ester	120-51-4	PNEC	0.0168 mg/l	freshwater	short-term (single instance)
Benzoic acid benzyl ester	120-51-4	PNEC	0.00168 mg/l	marine water	short-term (single instance)
Benzoic acid benzyl ester	120-51-4	PNEC	100 mg/l	sewage treatment plant (STP)	short-term (single instance)
Benzoic acid benzyl ester	120-51-4	PNEC	1.07 mg/kg	marine sediment	short-term (single instance)
Benzoic acid benzyl ester	120-51-4	PNEC	2.12 mg/kg	soil	short-term (single instance)
Benzoic acid benzyl ester	120-51-4	PNEC	10.66 mg/kg	freshwater sediment	short-term (single instance)

#### 8.2 Exposure controls

##### Individual protection measures (personal protective equipment)



##### Eye/face protection

Use safety goggle with side protection.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### Skin protection

#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### • type of material

IIR: isobutene-isoprene (butyl) rubber

#### • material thickness

0,7mm.

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection

Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Colour	light yellow
Odour	characteristic
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	not determined
Initial boiling point and boiling range	This information is not available.
Flash point	not determined
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	not relevant
Vapour pressure	This information is not available.
Density	1.02 g/cm <sup>3</sup> at 20 °C
Vapour density	This information is not available.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	practically insoluble
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	480 °C
Decomposition temperature	no data available
Viscosity	
• dynamic viscosity	100 - 120 mPa s at 20 °C
Explosive properties	Shall not be classified as explosive
Oxidising properties	none
<b>9.2 Other information</b>	
Temperature class (EU, acc. to ATEX)	T1 (Maximum permissible surface temperature on the equipment: 450°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different plastics - metal alloy

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Shall not be classified as acutely toxic.

##### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzoic acid benzyl ester	120-51-4	oral	1,900 mg/kg

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

##### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

diarrhoea - vomiting - nausea

##### • If in eyes

data are not available

##### • If inhaled

causes slight to moderate irritation

##### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

##### Other information

None



# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

##### Aquatic toxicity (acute)

Very toxic to aquatic organisms.

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzoic acid benzyl ester	120-51-4	LC50	2.32 mg/l	fish	96 h
Benzoic acid benzyl ester	120-51-4	EC50	3.09 mg/l	aquatic invertebrates	48 h
Benzoic acid benzyl ester	120-51-4	ErC50	0.475 mg/l	algae	72 h

##### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzoic acid benzyl ester	120-51-4	EC50	4.26 mg/l	aquatic invertebrates	24 h
Benzoic acid benzyl ester	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h

#### 12.2 Process of degradability

The substance is readily biodegradable.

##### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Benzoic acid benzyl ester	120-51-4	biotic/abiotic	94 %	28 d
Benzoic acid benzyl ester	120-51-4	oxygen depletion	94 %	28 d

#### 12.3 Bioaccumulative potential

Data are not available.

##### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Benzoic acid benzyl ester	120-51-4		3.97 (25 °C)	

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number	3082
14.2	UN proper shipping name	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</b>
	Hazardous ingredients	Benzoic acid benzyl ester
14.3	Transport hazard class(es)	
	Class	9 (miscellaneous dangerous substances and articles) (environmentally hazardous)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	hazardous to the aquatic environment (Benzoic acid benzyl ester)
14.6	<b>Special precautions for user</b>	
		Provisions for dangerous goods (ADR) should be complied within the premises.
14.7	<b>Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
		The cargo is not intended to be carried in bulk.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU




## Immersion oil for microscopy, fluorescence tested


article number: X899

### 14.8 Information for each of the UN Model Regulations

#### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the transport document	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Benzoic acid benzyl ester), 9, III, (-)
Class	9
Classification code	M6
Packing group	III
Danger label(s)	9 + "fish and tree"
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
<b>Emergency Action Code</b>	<b>3Z</b>

#### • International Maritime Dangerous Goods Code (IMDG)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Benzoic acid benzyl ester), 9, III
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9 + "fish and tree"
	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L



# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: **X899**

EmS	F-A, S-F
Stowage category	A
• <b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Benzoic acid benzyl ester), 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III 9 + "fish and tree"
	
	
Special provisions (SP)	A97, A158, A197, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients are listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

None of the ingredients are listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

None of the ingredients are listed.

- **Restrictions according to REACH, Annex XVII**

None of the ingredients are listed.

- **List of substances subject to authorisation (REACH, Annex XIV)**

None of the ingredients are listed.

- **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100                      200	56)

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 0 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 0 %

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): GHS chapter - Hazard class and category - Hazard statement code(s)	Classification according to Regulation (EC) No 1272/2008 (CLP)
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): GHS chapter - Hazard class and category - Hazard statement code(s)	Classification according to Regulation (EC) No 1272/2008 (CLP)
2.1		Classification acc. to GHS: change in the listing (table)
2.1	Classification according to Directive 1999/45/EC (DPD): Indication(s) of danger - Symbol codes - R-Phrases	
2.1		Classification according to Directive 1999/45/EC (DPD): change in the listing (table)
2.2		Signal word: Warning
2.2		Hazard statements: change in the listing (table)
2.2	Hazardous ingredients for labelling: Benzyl benzoate	
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word:	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning
2.2	contains: Benzyl benzoate	
3.2	Description of the mixture	Description of the mixture: Composition/information on ingredients.
3.2		Description of the mixture: change in the listing (table)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

Section	Former entry (text/value)	Actual entry (text/value)
8.1	Occupational exposure limit values (Workplace Exposure Limits): not relevant	Occupational exposure limit values (Workplace Exposure Limits): Data are not available.
8.1		• relevant DNELs of components of the mixture: change in the listing (table)
8.1		• relevant PNECs of components of the mixture: change in the listing (table)
14.2	Hazardous ingredients: Benzyl benzoate	Hazardous ingredients: Benzoic acid benzyl ester
14.5	Environmental hazards: hazardous to the aquatic environment	Environmental hazards: hazardous to the aquatic environment (Benzoic acid benzyl ester)
14.8		Particulars in the transport document: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Benzoic acid benzyl ester), 9, III, (-)
14.8	Tunnel restriction code (TRC): E	Tunnel restriction code (TRC): -
14.8		Emergency Action Code: 3Z
14.8		Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Benzoic acid benzyl ester), 9, III
14.8	Danger label(s)	
14.8		UN number: 3082
14.8		Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.
14.8		Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Benzoic acid benzyl ester), 9, III
14.8		Class: 9
14.8		Environmental hazards: yes (hazardous to the aquatic environment)
14.8		Packing group: III9 + "fish and tree"
14.8		Packing group: change in the listing (table)
14.8		Special provisions (SP): A97, A158, A197, 274
14.8		Excepted quantities (EQ): E1
14.8		Limited quantities (LQ): 30 kg

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: X899

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Immersion oil for microscopy, fluorescence tested

article number: **X899**

Abbr.	Descriptions of used abbreviations
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H400	very toxic to aquatic life
H411	toxic to aquatic life with long lasting effects

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.